

From: Victoria Binetti/R3/USEPA/US
Sent: 12/12/2011 4:12:33 PM
To: Elizabeth Doyle/DC/USEPA/US@EPA
CC:
Subject: Re: Just checking, re: ORD contact

Thanks!--Vicky

Victoria P. Binetti
Associate Director, Drinking Water & Source Water Protection
Water Protection Division
US Environmental Protection Agency, Region III

Phone: 215-814-5757
Fax: 215-814-2302
Cell: 215-514-8857

From: Elizabeth Doyle/DC/USEPA/US
To: Victoria Binetti/R3/USEPA/US@EPA
Date: 12/12/2011 04:02 PM
Subject: Re: Just checking, re: ORD contact

ORD would like Lyle to be the focal point. Also, please keep Kathleen Deener in the loop.

From: Victoria Binetti/R3/USEPA/US
To: Elizabeth Doyle/DC/USEPA/US@EPA
Date: 12/12/2011 03:43 PM
Subject: Just checking, re: ORD contact

Beth, was there a particular individual in ORD that you'd recommend we should be working with on the Dimock risk evaluation? I have been referred to Lyle Burgoon; is there someone in addition to Lyle? Many thanks.--Vicky

Victoria P. Binetti
Associate Director, Drinking Water & Source Water Protection
Water Protection Division
US Environmental Protection Agency, Region III

Phone: 215-814-5757
Fax: 215-814-2302
Cell: 215-514-8857